	Type	Hits	Search Text	DBs
1	IS&R	7	(("4975714") or ("5894196") or ("4698730") or ("2469080") or ("2362176") or ("4733335") or ("5762414")).PN.	USPAT; USOCR
2	IS&R	4	(("6361190") or ("5490045") or ("5093768") or ("4530040")).PN.	USPAT; USOCR
3	BRS	746	complex near lens	US-PGPUB; USPAT; EPO; JPO; DERWENT
4	BRS	1718	compound near lens	US-PGPUB; USPAT; EPO; JPO; DERWENT
5	BRS	2430	(complex near lens) or (compound near lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT
6	BRS	15661	lens with ((convex or converg$4 or conden$4) with plan$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT
7	BRS	27	(((complex near lens) or (compound near lens)) and (lens with ((convex or converg$4 or conden$4) with plan$4))) and (light near emitt$5 near diod$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT
8	BRS	356	((complex near lens) or (compound near lens)) and (lens with ((convex or converg$4 or conden$4) with plan$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT
9	BRS	8434	(plan$4 with convex) with lens	US-PGPUB; USPAT; EPO; JPO; DERWENT
10	BRS	786	((plan$4 with convex) with lens) and (light near emitt$5 near diod$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT
11	BRS	764	(((plan$4 with convex) with lens) and (light near emitt$5 near diod$4)) not (((complex near lens) or (compound near lens)) and (lens with ((convex or converg$4 or conden$4) with plan$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT
12	BRS	488	((((plan$4 with convex) with lens) and (light near emitt$5 near diod$4)) not (((complex near lens) or (compound near lens)) and (lens with ((convex or converg$4 or conden$4) with plan$4)))) and @ad < "20000811"	US-PGPUB; USPAT; EPO; JPO; DERWENT
13	BRS	216	359/721.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
14	BRS	2	("4073578" | "4151752").PN.	USPAT
15	BRS	5	"4474437".URPN.	USPAT
16	BRS	128264	light near emitt$5 near diod$4	US-PGPUB; USPAT; EPO; JPO; DERWENT
17	BRS	4800	lens with converg$5 with (plan$5 or (non near converg$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
18	BRS	428	(light near emitt$5 near diod$4) and (lens with converg$5 with (plan$5 or (non near converg$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT
19	BRS	9	(light near emitt$5 near diod$4) and (lens with converg$5 with (plan$5 or (non near converg$6))) and (parabol$6 near reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT
20	BRS	138	(light near emitt$5 near diod$4) and (lens with converg$5 with (plan$5 or (non near converg$6))) and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT
21	BRS	9512	(converg$5 and (plan$5 or (non near converg$6)) near surface)	US-PGPUB; USPAT; EPO; JPO; DERWENT
22	BRS	979	lens with (converg$5 and (plan$5 or (non near converg$6)) near surface)	US-PGPUB; USPAT; EPO; JPO; DERWENT
23	BRS	142	(light near emitt$5 near diod$4) and (lens with (converg$5 and (plan$5 or (non near converg$6)) near surface))	US-PGPUB; USPAT; EPO; JPO; DERWENT
24	BRS	938	(parabol$5 near2 reflect$5) and (collimat$5 near4 lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT
25	BRS	261	(light near emitt$5 near diod$4) and ((parabol$5 near2 reflect$5) and (collimat$5 near4 lens))	US-PGPUB; USPAT; EPO; JPO; DERWENT
26	BRS	6	("1977689" | "2215900" | "2683394" | "3330190" | "4255042" | "4257672").PN.	USPAT
27	BRS	46	"4767172".URPN.	USPAT
28	BRS	1419	362/307,327,328.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
29	BRS	117	362/307,327,328.ccls. and (light near emitt$5 near diod$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT
30	BRS	82	362/307,327,328.ccls. and (light near emitt$5 near diod$4) and lens	US-PGPUB; USPAT; EPO; JPO; DERWENT
31	IS&R	1	("3331277").PN.	USPAT; USOCR
32	IS&R	1	("2469080").PN.	USPAT; USOCR
33	BRS	10	"2469080".URPN.	USPAT
34	BRS	72826	luen-wai- yu.in.	EPO; DERWENT
35	BRS	72826	luen-wai yu.in.	EPO; DERWENT
36	BRS	5	"810256".pn.	EPO; DERWENT
37	BRS	536	(high near power) near2 ((light near emitt$5 near diod$4) or LED)	US-PGPUB; USPAT; EPO; JPO; DERWENT
38	BRS	2223	flashlight and (parabolic neae reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
39	BRS	14	((high near power) near2 ((light near emitt$5 near diod$4) or LED)) and (flashlight and (parabolic neae reflector))	US-PGPUB; USPAT; EPO; JPO; DERWENT
40	BRS	128350	light near emitt$5 near diod$4	US-PGPUB; USPAT; EPO; JPO; DERWENT
41	BRS	10122	flashlight	US-PGPUB; USPAT; EPO; JPO; DERWENT
42	BRS	1270	(light near emitt$5 near diod$4) and flashlight	US-PGPUB; USPAT; EPO; JPO; DERWENT
43	BRS	191	(light near emitt$5 near diod$4) and flashlight and (print$4 near circuit near board)	US-PGPUB; USPAT; EPO; JPO; DERWENT
44	BRS	117	(light near emitt$5 near diod$4) and flashlight and (print$4 near circuit near board) and lens	US-PGPUB; USPAT; EPO; JPO; DERWENT
45	BRS	154	(high near power) near2 (light near emitt$5 near diod$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT
46	BRS	0	((high near power) near2 (light near emitt$5 near diod$4)) with (parabolic$4 near reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT
47	BRS	0	((high near power) near2 (light near emitt$5 near diod$4)) same (parabolic$4 near reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT
48	BRS	0	((high near power) near2 (light near emitt$5 near diod$4)) same (micro near reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT
49	BRS	1	((high near power) near2 (light near emitt$5 near diod$4)) and (micro near reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT
50	IS&R	4	(("6002703") or ("5995289") or ("6219187") or ("6259713")).PN.	USPAT; USOCR
51	BRS	30	("3290539" | "3686543" | "4477730" | "4716568" | "4718070" | "5040187" | "5128951" | "5166755" | "5222088" | "5284790" | "5311530" | "5311535" | "5325384" | "5333077" | "5343489" | "5355388" | "5526373" | "5572542" | "5574740" | "5576752" | "5594591" | "5610759" | "5610934" | "5615042" | "5627850" | "5631918" | "5644584" | "5668825" | "5907404" | "5995289").PN.	USPAT
52	BRS	2	"6259713".URPN.	USPAT
53	BRS	456	(high near power) with (light near emitt$5 near diod$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
54	BRS	836	(high near power) same (light near emitt$5 near diod$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT
55	BRS	0	((high near power) same (light near emitt$5 near diod$4)) and (parabolic$4 near reflector) and (transparent near tip)	US-PGPUB; USPAT; EPO; JPO; DERWENT
56	BRS	19	((high near power) same (light near emitt$5 near diod$4)) and (parabolic$4 near reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT
57	BRS	1	((high near power) same (light near emitt$5 near diod$4)) and (micro near5 reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT
58	BRS	163	((high near power) same (light near emitt$5 near diod$4)) and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT
59	BRS	33	((high near power) same (light near emitt$5 near diod$4)) and cup	US-PGPUB; USPAT; EPO; JPO; DERWENT
60	BRS	675	313/512.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT
61	BRS	0	313/512.ccls. and (micro near reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT
62	BRS	11	313/512.ccls. and (parabol$5 near reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT
63	BRS	3	313/512.ccls. and (parabol$5 with reflect$5 with cup)	US-PGPUB; USPAT; EPO; JPO; DERWENT
64	BRS	128543	light near emitt$5 near diod$4	US-PGPUB; USPAT; EPO; JPO; DERWENT
65	BRS	128543	light near emitt$5 near diod$4	US-PGPUB; USPAT; EPO; JPO; DERWENT
66	BRS	25	(light near emitt$5 near diod$4) and (parabol$5 with reflect$5 with cup)	US-PGPUB; USPAT; EPO; JPO; DERWENT
67	BRS	0	"20020085390".URPN.	USPAT
68	BRS	31	("3621340" | "3819974" | "4275333" | "4303913" | "4365184" | "4377769" | "4563297" | "5049779" | "5208462" | "5291098" | "5312560" | "5438198" | "5523018" | "5641582" | "5700591" | "5811924" | "5813752" | "5813753" | "5847507" | "5957560" | "5959316" | "5998925" | "6153123" | "6212213" | "6229338" | "6234648" | "6252254" | "6255670" | "6273589" | "6294800" | "6351069").PN.	USPAT
69	BRS	0	"6686691".URPN.	USPAT
70	BRS	0	"6686691".URPN.	USPAT

	Type	Hits	Search Text	DBs
71	BRS	31	("3621340" | "3819974" | "4275333" | "4303913" | "4365184" | "4377769" | "4563297" | "5049779" | "5208462" | "5291098" | "5312560" | "5438198" | "5523018" | "5641582" | "5700591" | "5811924" | "5813752" | "5813753" | "5847507" | "5957560" | "5959316" | "5998925" | "6153123" | "6212213" | "6229338" | "6234648" | "6252254" | "6255670" | "6273589" | "6294800" | "6351069").PN.	USPAT
72	BRS	1452	flashlight and (light near emitt$5 near diod$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT
73	BRS	15	flashlight and (light near emitt$5 near diod$4) and (printed near circuit near board) and (parabol$5 near reflector) and lens	US-PGPUB; USPAT; EPO; JPO; DERWENT
74	BRS	15	flashlight and (light near emitt$5 near diod$4) and (printed near circuit near board) and (parabol$5 near reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT
75	BRS	234	flashlight and (light near emitt$5 near diod$4) and (printed near circuit near board)	US-PGPUB; USPAT; EPO; JPO; DERWENT
76	BRS	191	(flashlight and (light near emitt$5 near diod$4) and (printed near circuit near board)) and @ad < "20020811"	US-PGPUB; USPAT; EPO; JPO; DERWENT
77	BRS	111	(flashlight and (light near emitt$5 near diod$4) and (printed near circuit near board)) and @ad < "20000811"	US-PGPUB; USPAT; EPO; JPO; DERWENT
78	BRS	315	directivity near angle	US-PGPUB; USPAT; EPO; JPO; DERWENT
79	BRS	24	(light near emitt$5 near diod$4) and (directivity near angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT
80	BRS	0	((high near power) same (light near emitt$5 near diod$4)) and (directivity near angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT
81	BRS	0	((high near power) same (light near emitt$5 near diod$4)) same (directivity near angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT
82	BRS	3	(light near emitt$5 near diod$4) same (directivity near angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT
83	BRS	0	(light near emitt$5 near diod$4) same (optical near directivity near angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT
84	BRS	0	(light near emitt$5 near diod$4) and (optical near directivity near angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
85	BRS	116	(light near emitt$5 near diod$4) and (directivity near5 angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT
86	BRS	0	(light near emitt$5 near diod$4) with ((directivity near5 angle) with "20 degree")	US-PGPUB; USPAT; EPO; JPO; DERWENT
87	BRS	18	(light near emitt$5 near diod$4) with (directivity near5 angle)	US-PGPUB; USPAT; EPO; JPO; DERWENT
88	BRS	484315	(light emit$6 diod$3) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	9338	parabol$5 reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
90	BRS	1222	S88 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	36	S88 and S89 and (flash light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	362	S88 and S89 and "362"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	BRS	2	parabol$5 micro reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	BRS	2	S93 and S88	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	BRS	23	("4001840" | "4079230" | "4154530" | "4353617" | "4522656" | "4564739" | "4652722" | "4725709" | "4758703" | "4789770" | "4806731" | "4923772" | "4940881" | "5101091" | "5103073" | "5143578" | "5175425" | "5206496" | "5239158" | "5247883" | "5293265" | "5322436" | "5484980").PN.	US-PGPUB; USPAT; USOCR
96	BRS	13	("5609778").URPN.	USPAT
97	BRS	2118	(light emit$6 chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
98	BRS	61	S98 and (parabol$5 reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
99	BRS	855	S90 and (focal or focus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
100	BRS	8	(micro reflector) and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
101	BRS	397	S100 and @ad < "20000811"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
102	BRS	48	S102 and micro	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
103	BRS	18	("3532874" | "3624385" | "3644725" | "3721815" | "3727043" | "3727044" | "3900728" | "4055840" | "4106078" | "4106079" | "4186425" | "4208701" | "4344110" | "4530036" | "4600974" | "4698183" | "4715564").PN.	US-PGPUB; USPAT; USOCR
104	BRS	25	("4924358").URPN.	USPAT
105	BRS	484596	(light emit$6 diod$3) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
106	BRS	5330	reflect$5 (cavity or cup or recess)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
107	BRS	56	parabol$4 (reflect$5 (cavity or cup or recess))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
108	BRS	0	micro parabol$4 (reflect$5 (cavity or cup or recess))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
109	BRS	6	S106 with (parabol$4 (reflect$5 (cavity or cup or recess)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
110	BRS	2	parabol$5 micro reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
111	BRS	484596	(light emit$6 diod$3) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
112	BRS	2	(parabol$5 micro reflector) and S112	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
113	BRS	2	(parabol$5 micro reflector) and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
114	BRS	2122	(light emit$6 chip)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
115	BRS	0	(parabol$5 micro reflector) and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
116	BRS	61	(parabol$5 reflector) and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
117	IS&R	1	("6361190").PN.	USPAT
118	BRS	5	("4967330" | "5289082" | "5865529" | "5897195" | "5947588").PN.	US-PGPUB; USPAT; USOCR
119	BRS	605	((light emit$6 diod$3) or "LED") and 313/500,512.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
120	BRS	3	S120 and (parabol$4 (reflect$5 (cavity or cup or recess)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
121	BRS	63	S120 and ((reflect$5 (cavity or cup or recess)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
122	IS&R	9	(("1219583") or ("4698730") or ("6814463") or ("5874190") or ("2460080") or ("5490045") or ("4733333") or ("5093768") or ("6220719")).PN.	USPAT

	Type	Hits	Search Text	DBs
123	IS&R	1	("4152624").PN.	USPAT
124	BRS	1951	257/98.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
125	BRS	85	257/98.ccls. and parabol$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
126	IS&R	2	(("5534718") or ("4920404")).PN.	USPAT
127	BRS	14	("3764862" | "3821775" | "3914786" | "3956667" | "4011575" | "4013915" | "4375606" | "4485377" | "4920404" | "4964025" | "5019746" | "5119174" | "5187547").PN.	US-PGPUB; USPAT; USOCR
128	BRS	21	("5534718").URPN.	USPAT
129	BRS	3	("3676668" | "3914786" | "4267559").PN.	US-PGPUB; USPAT; USOCR
130	BRS	8	("4920404").URPN.	USPAT
131	BRS	7674	flashlight	USPAT
132	BRS	266	flashlight and (parabolic reflector)	USPAT
133	BRS	484596	((light emit$6 diod$3) or "LED")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
134	BRS	77	S133 and S134	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
135	IS&R	1	("0810256").PN.	USPAT
136	IS&R	0	("0810256").PN.	EPO; DERWENT
137	IS&R	1	("6585391").PN.	EPO; DERWENT
138	IS&R	1	("6585391").PN.	USPAT
139	BRS	8912	362/200-205,208,800,240,241,308-311,336,346,327,328,307.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
140	BRS	222	359/721.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
141	BRS	9132	S140 or S141	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
142	BRS	2651	(complex near lens) or (compound near lens)	US-PGPUB; USPAT; EPO; JPO; DERWENT
143	BRS	16728	lens with ((convex or converg$4 or conden$4) with plan$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT
144	BRS	18986	S143 or S144	US-PGPUB; USPAT; EPO; JPO; DERWENT
145	BRS	230	S142 and S145	US-PGPUB; USPAT; EPO; JPO; DERWENT